



Technical Data Sheet

Tuxton Synthetic Blend Motor Oil

Description

Tuxton Synthetic Blend Motor Oils are premium quality synthetic blend engine oils engineered with the highest quality synthetic base stocks, highly refined mineral oil base stocks and the latest state-of-the-art additives. Tuxton Synthetic Blend Motor Oils are a new generation of motor oils that provide superior engine protection, better fuel economy, outstanding oxidation control, engine cleanliness and lower emissions. Tuxton Synthetic Blend Motor Oils are recommended for passenger cars, sport utility vehicles, and light trucks. Tuxton Synthetic Blend Motor Oils meet the latest automotive manufacturers' requirements of API SN, as well as the requirements of ILSAC GF-5.

Performance Features

- Exceptional Fuel Economy throughout the Oil Change Interval
- Outstanding Engine Sludge Protection
- Superior Engine Cleanliness
- Excellent Emissions Control System Protection
- Outstanding wear protection
- Excellent high-temperature performance

Properties

	<u>5W20</u>	<u>5W30</u>	<u>10W30</u>
Viscosity cSt @ 40°C	49.0	63.0	70.0
Viscosity cSt @ 100°C	8.6	10.5	10.7
Viscosity Index	154	156	156
Flash Point, °F	424	428	448
Pour Point, °F	-40	-40	-32
API Gravity	32.8	33.1	31.9
CCS Viscosity cP (°C) -25	-	-	-
CCS Viscosity cP (°C) -30	6200	6400	6300
API Service Category	SN	SN	SN
ILSAC	GF-5	GF-5	GF-5
Resource Conserving	Yes	Yes	Yes